

Lighting

PHILIPS

NEC digital cinema projectors

XDC 4500 N

Digital Xenon Cinema N-type lamps are ideal for today's demanding 3D and 2D digital cinema presentations. They are especially designed for NEC projectors. There is a choice of three power ratings in the N-type Digital Cinema Xenon lamps range: 4000W, 4500W or 6000W. There is also a choice of three power ratings in the NH-type Digital Helios lamps range: 2000W, 300W, and 4200W. All these lamps produce the very high light output needed to maximize screen brightness and enhance the dramatic effect for the viewer. These long-life digital lamps also provide constant color temperature characteristics, and meet all of the stringent arc-stability requirements for consistent customer satisfaction. In addition to N-type Digital Cinema Xenon lamps there are B-, C-, S-, and TA-type Digital Cinema Xenon lamps. These are all individually customized per projector, so there is a different, perfect-fitting lamp for each projector model to ensure optimized projector performance.


Product data

General Information				
Operating Position	P15 [Parallel +/-15D or Horizontal(HOR)]			
Main Application	Cinema			
Nominal Lifetime (Nom)	900 h			
Magnet	-			
Operating and Electrical				
Power (Rated) (Nom)	4500 W			
Lamp Current Span	100/150 A			
Lamp Current (Nom)	140 A			
Voltage (Nom)	33 V			

Product Data			
Full product code	872790030214100		
Order product name	XDC 4500 N		
EAN/UPC - Product	8727900302141		
Order code	928415406201		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	1		
Material Nr. (12NC)	928415406201		
Net Weight (Piece)	0.905 kg		

NEC digital cinema projectors

Dimensional drawing



Product	0	D	х	в	С	Α
XDC 4500 N	6.0 mm	70 mm	220 mm	387 mm	425 mm	171.5 mm



© 2016 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.lighting.philips.com 2016, November 16 - data subject to change